

NAME

ProjectBuilder::Env, part of the project-builder.org

DESCRIPTION

This modules provides environment functions suitable for pbinit calls.

USAGE


pb_env_init_pbrc

This function setup/use the configuration file in the HOME directory It sets up environment variables (PBETC)

pb_env_init

This function setup the environment for project-builder. The first parameter is the project if given on the command line. The second parameter is a flag indicating whether we should setup up the pbconf environment or not. The third parameter is the action passed to pb. It sets up environment variables (PBETC, pb, PBDEFDIR, PBBUILDDIR, PBROOTDIR, PBDESTDIR, PBCONFDIR, pbVER)

Tree will look like this:



(*) By default, if no relocation in .pbrc, dev dir is taken in the maint pbdefdir. Names under a pbproj and the corresponding pbconf should be similar

WEB SITES

The main Web site of the project is available at <<http://www.project-builder.org/>>. Bug reports should be filled using the trac instance of the project at <<http://trac.project-builder.org/>>.

USER MAILING LIST

None exists for the moment.

AUTHORS

The Project-Builder.org team <<http://trac.project-builder.org/>> lead by Bruno Corneic <<mailto:bruno@project-builder.org>>.

COPYRIGHT

Project-Builder.org is distributed under the GPL v2.0 license described in the file COPYING included with the distribution.